




220020349377




中国认可
国际互认
检测
TESTING
CNAS L0136

防爆电气设备
Electrical Apparatus for Explosive Atmospheres

防爆合格证

CERTIFICATE OF CONFORMITY



沈阳产品质量监督检验院

Shenyang Product Quality Supervision And Inspection Institute

(国家低压防爆电器质量检验检测中心(辽宁))

(National quality inspection and testing center for low voltage explosion-proof electrical apparatus (Liaoning))



CLEX

防爆电气设备
Electrical Apparatus for Explosive Atmospheres

防爆合格证

CERTIFICATE OF CONFORMITY

证书编号 No: CLEX23.4598

制 造 商 成都市凯思达机电有限责任公司
 Manufacturer 地址: 四川省成都金牛高新技术产业园区信息园东路 99 号大成仓智汇园 B-206 号

产 品 名 称 旋进旋涡流量计
 Name of Product

型 号 规 格 KSDLUXB DC24V 4~20mA
 Type of Product

防 爆 标 志 Ex db IIC T4 Gb
 Ex-Marking

产 品 标 准 Q/KSD 01-2023
 Standard Product

总 装 图 号 KSDLUXB-000
 Drawing No.

经对上述产品图样及技术文件的审查和样品检验, 确认符合下列标准:
The drawings, technical documents and the samples are verified and certified according to standard(s) for safety as below:

GB/T3836.1-2021 爆炸性环境 第1部分: 设备 通用要求
 GB/T3836.2-2021 爆炸性环境 第2部分: 由隔爆外壳“d”保护的的设备

说 明 事 项 1. 产品安装和使用时必须配装用填料夹紧的电缆引入装置;
 Explanation 2. 外壳防护等级: IP66.

批 准
Approved by

徐识波

发 证 日 期 2023 年 08 月 22 日
Date of issue

有 效 期 至 2028 年 08 月 21 日
Valid date

国家低压防爆电器质量检验检测中心(辽宁)
 National quality inspection and testing center for low voltage
 explosion-proof electrical apparatus (Liaoning)



本证书仅对符合送检样品的产品有效, 证书持有人有责任保证产品符合标准规定。
This certificate is only valid for the products which identify with the sample(s) tested and verify certificate have the responsibility to ensure the products complying with relevant standard(s).

地址: 中国·辽宁 沈阳经济技术开发区细河四北街 6 号
 ADD: No.6, Xihe 4 North Street, Shenyang Economic & technological Development Area, Liaoning, China
 电话 TEL: 024-62832918 62832910 邮编 P.C: 110027
 E-mail: gjdyfb@163.com http://dyfb.syzjy.net 22020815224

